

A microscopic view of ice crystals, showing a dense network of thin, needle-like structures. The crystals are oriented in various directions, creating a complex, interlocking pattern. The background is a deep blue, and the crystals themselves are a lighter, translucent blue.

Ice Breaker

Interface®

If you were a popsicle, what flavour would you be?

That's one way to warm up a room, but our favourite Ice Breaker is on the floor. Like any lead-in, it's a little provocative and ultimately puts everyone at ease. That is the magical combination—the excitement of the unpredictable with the reliability of the familiar.

Etched and angular, the subtle, seemingly random lines of Ice Breaker reflect the cracking and crazing of frozen water creating an organic geometry that moves fluidly and seamlessly across the floor in a non directional or monolithic installation.

In colours as warm or cool as your space demands, deep dive into all nuances of grey or natural, or dial up the fun with pops of colourall working together to create flooring that wont go unnoticed.







CARPET TILE ICE BREAKER COLOUR LAZULI, GRITSTONE INSTALLED NON DIRECTIONAL




CARPET TILE ICE BREAKER COLOUR WARM ROCK, GARNET INSTALLED NON DIRECTIONAL



CARPET TILE ICE BREAKER COLOUR QUARRY
LVT TEXTURED STONES COLOUR COOL POLISHED CEMENT INSTALLED NON DIRECTIONAL




CARPET TILE ICE BREAKER COLOUR LARIMAR INSTALLED NON DIRECTIONAL




**CARPET TILE ICE BREAKER COLOUR CLAYSTONE
LVT TEXTURED STONES COLOUR DISTRESSED CONCRETE INSTALLED NON DIRECTIONAL**




Ice Breaker Colourline




9189-001-000 Concrete



9189-002-000 Granite



9189-003-000 Gritstone




9189-004-000 Jetmist



9189-005-000 Claystone




9189-006-000 Magma



9189-007-000 Quarry




9189-008-000 Warm Rock




9189-009-000 Peridot



9189-019-000 Larimar



9189-011-000 Garnet



9189-012-000 Lazuli

Specifications

Style Code	9189
Product Construction	Tufted Textured Loop
Yarn System	100% Recycled Solution Dyed Nylon
Machine Gauge	1/12
Pile Thickness	2.5mm (± 0.5mm)
Total Thickness	6.0mm (± 0.5mm)
Tile Size	50x50cm
Area of Use	Commercial - Heavy Use
Lifetime Antimicrobial	Intersept®
Soil/Stain Protection	Protekt ² ®
Installation Methods	Non Directional



Carbon Neutral Floors™
All of our products are carbon neutral and our programme is verified by an independent third party, Bureau Veritas.



All Interface manufacturing facilities in the Asia Pacific region maintain registration to ISO 9001 Quality Management Systems and ISO 14001 Environmental Management Systems.

Production specifications are subject to normal manufacturing tolerances and may be changed without notice. Slight variation in colour among different production lots are normal and should be considered in the overall installation plan. Products covered by manufacturer's written warranty only. All other warranties, including without limitation any implied warranties of merchantability or fitness for particular purpose, are hereby disclaimed. Contact your representative for written warranty information.

www.interface.com

Australia

Interface Australia
local toll free: 1800 804 361

India

Interface India
tel: +91 80 4613 1313

South East Asia

Interface Asia
tel: +65 6478 1510

South Korea

Interface South Korea
tel: +82 2 555 1734

Japan

Interface Japan
tel: +81 3 5733 5211

Beijing

Interface China
tel: +86 10 6590 7810

Hong Kong

Interface China
tel: +852 2802 0838

Shanghai

Interface China
tel: +86 21 6340 3868

10/2019
SF9189T0



Climate change is undeniable. And reversible. Our mission is to prove it.
Join the #ClimateTakeBack and help create a climate fit for life.