




2018-2019  
NEW COLLECTION



# 3MM STEPPER

Pvc Decor Planks  
Premium Collection

THE ULTIMATE FLOORING PERFORMANCE







DW 7001



DW 2301



DW 6812




DW 3192



DW 1902



DW 1921



DW 1613



DW 1923



DW 3150



DW BA-01-4

**PHYSICAL SPECIFICATIONS**

Plank	187mm x 935mm hetrogenus PVC plank
Finish	UV Couting with NANO Silver
Thickness	3mm
Weight	16.5kg Per Box
Wear Layer	0.50mm
Printed Layer	NT Film
Standard Packing Per Box. In Pc	19 Pcs Per Box
Standard Packing in sq mtr	3.32sqm Per Box

**Technical Data of PVC PLANK**

Characteristic	En423 : 93 Pass Class 0
Resistance Of Chemicals	EN425 : 94 Pass
Bearing A Castor	EN427 : 94 Pass
Dimension Squareness And Straightness	EN428 : 93 Pass
Thickness-wearlayer	EN429 : 93 Pass
Residual Indentation After Static Load	EN433 : 94 Pass
Dimensional Stability Curling After Exposure To Heat	EN434 : 94 Pass
Shrinkage Rate	≤0.25%
Curling	≤2mm
Flexibility	EN660-1/2 Pass Bend around 20mm mandrel show no Sign of cracking
Abrasion Resisitance	EN660-1/2 Pass
Color Fastness To Light	EN20 ISO 105-B02 6 or Above Pass
Toxic Element Test	EN71-3 Pass
Specific Gravity	ASTM D792:91 Pass
Coefficients Of Friction	ASTM D1894:01 Pass
Sound Redaction	DIN52210 : 4ab
Flammability	EN71-2 Pass
Smoke Density	DIN4102 / ASTM D2843-99 : Class BI
Electrical Resistance	EN1081 Method C:PASS
Fungus Test	ASTM G21:96 Pass Grade 1

**Application:**

1)Semi commercial

2)Residential



Colours in the catalouge and actual production may differ and its allowed and accepted practice.

Mkt. By.: